

# Abcological anecdotes

D. W. Masser

Departement Mathematik und Informatik  
Fachbereich Mathematik  
Universität Basel  
CH-4051 Basel

Preprint No. 2017-16  
December 2017

[www.math.unibas.ch](http://www.math.unibas.ch)

## ABCOLOGICAL ANECDOTES

D.W. MASSER

In June 1985 Joseph Oesterlé gave a lecture at the Max-Planck-Institut in Bonn (then the other side of the river). He discussed the conductor and discriminant of elliptic curves and a conjectural relationship between them due to Lucien Szpiro. He mentioned that for the particular curve defined by  $y^2 = x(x-a)(x+b)$  with non-zero coprime rational integers  $a \neq -b$  this amounted to an inequality  $|abc| \leq C(\prod_{p|abc} p)^\kappa$ , with  $c$  defined by  $a + b + c = 0$  and the product over primes  $p$ . Here  $C, \kappa$  are independent of  $a, b, c$  but I can no longer remember if this was just for some  $\kappa$  or for all  $\kappa > 3$ .

Anyway, one could clearly now forget about elliptic curves; and then if one is not interested in a precise value of  $\kappa$  one may as well estimate  $a, b, c$  separately using  $\max\{|a|, |b|, |c|\}$ . I recognized the subsequent inequality as a version of an analogue of a 1984 result of Richard Mason about polynomials (actually anticipated by Wilson Stothers). After the talk I rushed down the steps to the library and found his result, which (to highlight the analogy) can be stated in the exponential form

$$\max\{e^{\deg \mathcal{A}}, e^{\deg \mathcal{B}}, e^{\deg \mathcal{C}}\} \leq e^{-1} \prod_{\pi|ABC} e$$

for all non-zero coprime  $\mathcal{A}, \mathcal{B}, \mathcal{C}$  in  $\mathbf{C}[t]$ , not all in  $\mathbf{C}$ , with  $\mathcal{A} + \mathcal{B} + \mathcal{C} = 0$ . Here the  $\pi = t - \tau$  for  $\tau$  in  $\mathbf{C}$  are the normalized primes of  $\mathbf{C}[t]$  and  $e = \exp 1$  (by convention). Thus Mason has  $\kappa = 1$ , which was known to be best possible, and even a bit extra (also best possible). Converting back from  $\mathbf{C}[t]$  to  $\mathbf{Z}$ , I followed standard practice by loosening up to any  $\kappa > 1$  to accommodate archimedean valuations (and indeed it would be false with  $\kappa = 1$ , as is also believed for Klaus Roth's famous  $|\alpha - r/s| \geq C^{-1}s^{-\kappa-1}$ ).

A couple of weeks later there occurred a Symposium on Analytic Number Theory in honour of Roth, and accordingly at a Problem Session I wrote on the blackboard the following:

**Disprove (or prove) that for every  $\epsilon > 0$  there exists  $C(\epsilon)$  such that**

$$\max\{|a|, |b|, |c|\} \leq C(\epsilon) \left( \prod_{p|abc} p \right)^{1+\epsilon}$$

**for all coprime integers  $a, b, c$  with  $a + b + c = 0$ .**

Of course I forgot then to say that  $a, b, c$  are all non-zero.

Since then, in connexion with the origin of  $abc$ , several authors have referred to the Symposium Proceedings. In fact these were available only to the participants and thus not generally accessible. By the publication of the present note I hope to regularize this situation (especially in view of the developments of the last few years).

**D.W. Masser:** Departement Mathematik und Informatik, Universität Basel, Spiegelgasse 1, 4051 Basel, Switzerland (*David.Masser@unibas.ch*).

14th June 2017.

## LATEST PREPRINTS

- | No.     | Author: Title  |
|---------|--|
| 2016-26 | <b>H. Derksen, D. Masser</b><br><i>Linear equations over multiplicative groups, recurrences, and mixing III</i>  |
| 2016-27 | <b>D. Bertrand, D. Masser, A. Pillay, U. Zannier</b><br><i>Relative Manin-Mumford for semi-abelian surfaces</i>  |
| 2016-28 | <b>L. Capuano, D. Masser, J. Pila, U. Zannier</b><br><i>Rational points on Grassmannians and unlikely intersections in tori</i>  |
| 2016-29 | <b>C. Nobili, F. Otto</b><br><i>Limitations of the background field method applied to Rayleigh-Bénard convection</i>   |
| 2016-30 | <b>W. D. Brownawell, D. W. Masser</b><br><i>Unlikely intersections for curves in additive groups over positive characteristic</i>  |
| 2016-31 | <b>M. Dambrine, H. Harbrecht, M. D. Peters, B. Puig</b><br><i>On Bernoulli's free boundary problem with a random boundary</i>  |
| 2016-32 | <b>H. Harbrecht, J. Tausch</b><br><i>A fast sparse grid based space-time boundary element method for the nonstationary heat equation</i>   |
| 2016-33 | <b>S. Iula</b><br><i>A note on the Moser-Trudinger inequality in Sobolev-Slobodeckij spaces in dimension one</i>   |
| 2016-34 | <b>C. Bürli, H. Harbrecht, P. Odermatt, S. Sayasone, N. Chitnis</b><br><i>Mathematical analysis of the transmission dynamics of the liver fluke, <i>Opisthorchis viverrini</i></i> |
| 2017-01 | <b>J. Dölz and T. Gerig, M. Lüthi, H. Harbrecht and T. Vetter</b><br><i>Efficient computation of low-rank Gaussian process models for surface and image registration</i>           |
| 2017-02 | <b>M. J. Grote, M. Mehlin, S. A. Sauter</b><br><i>Convergence analysis of energy conserving explicit local time-stepping methods for the wave equation</i>                         |
| 2017-03 | <b>Y. Bilu, F. Luca, D. Masser</b><br><i>Collinear CM-points</i>   |
| 2017-04 | <b>P. Zaspel</b><br><i>Ensemble Kalman filters for reliability estimation in perfusion inference</i>   |

## LATEST PREPRINTS

- | No.     | Author: Title   |
|---------|---|
| 2017-05 | <b>J. Dölz and H. Harbrecht</b><br><i>Hierarchical Matrix Approximation for the Uncertainty Quantification of Potentials on Random Domains</i>  |
| 2017-06 | <b>P. Zaspel</b><br><i>Analysis and parallelization strategies for Ruge-Stüben AMG on many-core processors</i>  |
| 2017-07 | <b>H. Harbrecht and M. Schmidlin</b><br><i>Multilevel Methods for Uncertainty Quantification of Elliptic PDEs with Random Anisotropic Diffusion</i>   |
| 2017-08 | <b>M. Griebel and H. Harbrecht</b><br><i>Singular value decomposition versus sparse grids: Refined complexity Estimates</i>   |
| 2017-09 | <b>J. Garcke and I. Kalmykov</b><br><i>Efficient Higher Order Time Discretization Schemes for Hamilton-Jacobi-Bellman Equations Based on Diagonally Implicit Symplectic Runge-Kutta Methods</i> |
| 2017-10 | <b>M. J. Grote and U. Nahum</b><br><i>Adaptive Eigenspace Regularization For Inverse Scattering Problems</i>  |
| 2017-11 | <b>J. Dölz, H. Harbrecht, S. Kurz, S. Schöps and F. Wolf</b><br><i>A Fast Isogeometric BEM for the Three Dimensional Laplace- and Helmholtz Problems</i>  |
| 2017-12 | <b>P. Zaspel</b><br><i>Algorithmic patterns for <math>\mathcal{H}</math>-matrices on many-core processors</i>   |
| 2017-13 | <b>R. Brügger, R. Croce and H. Harbrecht</b><br><i>Solving a free boundary problem with non-constant coefficients</i>   |
| 2017-14 | <b>M. Dambrine, H. Harbrecht and B. Puig</b><br><i>Incorporating knowledge on the measurement noise in electrical impedance tomography</i>  |
| 2017-15 | <b>C. Bürli, H. Harbrecht, P. Odermatt, S. Sayasone and N. Chitnis</b><br><i>Analysis of Interventions against the Liver Fluke, <i>Opisthorchis viverrini</i></i>                               |
| 2017-16 | <b>D. W. Masser</b><br><i>Abcological anecdotes</i>   |